

Vascularperspectives



innovations for the interventionalist

SHEATHLESS EAU CATH GUIDING CATHETERS

Minimising the radial puncture site
whilst maximising catheter lumen

The SheathLess eaucath guiding catheter is designed to:

- Minimise the radial puncture site whilst providing a larger inner lumen
- Negates the need for a sheath during PCI
- Hydrophilic coating enhances catheter trackability
- Long dilator provided with each catheter
- Full range of shapes provided. See backpage for details



Vascular perspectives

innovations for the interventionalist


Kink resistant shaft provides excellent backup support

Dilator docks with guide




Introducer included with each Guiding Catheter


Introducing




1. Flush dilator and catheter with saline.




2. Flush dilator with saline



3. Introduce .035" guidewire into radial artery through sheath.



4. Remove sheath and apply pressure to puncture site.




5. Wet gauze (to activate Hydrophilic coating) and introduce dilator over wire. Screen when inserting SheathLess eaucath guide.




6. Make sure 0.035" wire is advanced 5 cm distal to the dilator at all times. When the dilator and catheter have reached the ascending aorta, remove dilator. **IMPORTANT:** All SheathLess eaucath guides have 1-to-1 torque and should be handled with care.

Removing



1. Flush dilator: Reintroduce .035" wire into dilator.








2. Introduce dilator & wire into the SheathLess eaucath guide and lock proximal end of dilator on to catheter hub. Ensure .035" wire is 5cm ahead of dilator at all times & screen.



3. When wire and dilator reach the aortic arch, lock the dilator into catheter and withdraw slowly.

Ordering information

SheathLess Eaucath Guiding Catheter

Product	Shape Code	Catalogue No. 6.5Fr	Catalogue No. 7.5Fr	Catalogue No. 8.5Fr	Recommended Guidewires	Usable Length
	JL3.5	G6JL35-0-L100	G7JL35-0-L100	G8JL35-0-L100	0.035"	100cm
	JL4.0	G6JL40-0-L100	G7JL40-0-L100	G8JL40-0-L100	0.035"	100cm
	JL4.5	G6JL45-0-L100	G7JL45-0-L100	-	0.035"	100cm
	JL5.0	G6JL50-0-L100	G7JL50-0-L100	-	0.035"	100cm
Judkins Left (Short Tip Type)	JL3.5 ST	G6JL35-0-L100S	G7JL35-0-L100S	G8JL35-0-L100S	0.035"	100cm
	JL4.0 ST	G6JL40-0-L100S	G7JL40-0-L100S	G8JL40-0-L100S	0.035"	100cm
	JL4.5 ST	G6JL45-0-L100S	G7JL45-0-L100S	-	0.035"	100cm
	JL5.0 ST	G6JL50-0-L100S	G7JL50-0-L100S	-	0.035"	100cm
	JR3.5	G6JR35-0-L100S	G7JR35-0-L100	G8JR35-0-L100	0.035"	100cm
	JR4.0	G6JR40-0-L100S	G7JR40-0-L100	G8JR40-0-L100	0.035"	100cm
	JR4.5	G6JR45-0-L100S	G7JR45-0-L100	-	0.035"	100cm
	JR5.0	G6JR50-0-L100S	G7JR50-0-L100	-	0.035"	100cm
Judkins Right (Short Tip Type)	JR3.5 ST	G6JR35-0-L100S	G7JR35-0-L100S	G8JR35-0-L100S	0.035"	100cm
	JR4.0 ST	G6JR40-0-L100S	G7JR40-0-L100S	G8JR40-0-L100S	0.035"	100cm
	JR4.5 ST	G6JR45-0-L100S	G7JR45-0-L100S	-	0.035"	100cm
	JR5.0 ST	G6JR50-0-L100S	G7JR50-0-L100S	-	0.035"	100cm
	AL0.75	G6AL07-0-L100	G7AL07-0-L100	-	0.035"	100cm
	AL1.0	G6AL10-0-L100	G7AL10-0-L100	G8AL10-0-L100	0.035"	100cm
	AL1.5	G6AL15-0-L100	G7AL15-0-L100	-	0.035"	100cm
	AL2.0	G6AL20-0-L100	G7AL20-0-L100	-	0.035"	100cm
Amplatz Left (Short Tip Type)	AL0.75 ST	G6AL07-0-L100S	G7AL07-0-L100S	G8AL07-0-L100S	0.035"	100cm
	AL1.0 ST	G6AL10-0-L100S	G7AL10-0-L100S	G8AL10-0-L100S	0.035"	100cm
	AL1.5 ST	G6AL15-0-L100S	G7AL15-0-L100S	G8AL15-0-L100S	0.035"	100cm
	AL2.0 ST	G6AL20-0-L100S	G7AL20-0-L100S	G8AL20-0-L100S	0.035"	100cm
	SC3.5	G6SC35-0-L100	G7SC35-0-L100	-	0.035"	100cm
	SC4.0	G6SC40-0-L100	G7SC40-0-L100	-	0.035"	100cm
	-	-	-	-	-	-
Hockey Stick	HS	G6HS00-0-L100	G7HS00-0-L100	-	0.035"	100cm
	-	-	-	-	-	-
	-	-	-	-	-	-
	PB3.0	G6PB30-0-L100	G7PB30-0-L100	-	0.035"	100cm
	PB3.5	G6PB35-0-L100	G7PB35-0-L100	-	0.035"	100cm
	PB4.0	G6PB40-0-L100	G7PB40-0-L100	-	0.035"	100cm
Super Power Backup	SP3.0	G6SP30-0-L100	G7SP30-0-L100	-	0.035"	100cm
	SP3.5	G6SP35-0-L100	G7SP35-0-L100	G8SP35-0-L100	0.035"	100cm
	SP4.0	G6SP40-0-L100	G7SP40-0-L100	G8SP40-0-L100	0.035"	100cm
	-	-	-	-	-	-
Multi Purpose 1	MPI	G6MPI0-0-L100	G7MPI0-0-L100	G8MPI0-0-L100	0.035"	100cm
	-	-	-	-	-	-
	-	-	-	-	-	-
Multi Purpose 2	MP2	G6MP20-0-L100	G7MP20-0-L100	G8MP20-0-L100	0.035"	100cm
	-	-	-	-	-	-
	-	-	-	-	-	-